

BRONZE LIFT

XS Series

Our XS Series elevator models offers a perfect balance of performance and value, ideal for a variety of commercial and residential settings..

Series at a glance

Load capacity	450 – 5,000 kg	Speed	1.0 / 1.6 / 2.0 / 2.5 m/s
Max. travel height	120 m	Max. stops	40
Machine room	MR / MRL		

Models

XS100

The XS100 is a testament to the perfect balance between practicality and aesthetic sophistication. Designed with meticulous attention to detail, it offers a robust solution that effortlessly integrates into any environment. Whether in a residential setting or a high-traffic commercial space, the XS100 delivers consistent performance, combining durability with an elegant design that enhances the ambiance of any location.

60

Max. travel height · m

21

Max. stops

Load capacity	450 · 630 · 800 · 1,000 kg
Speed	1.0 / 1.6 m/s
Max. travel height	60 m
Max. stops	21
Machine room	MR / MRL
Cabin dimensions	variable within the published shaft envelope

Application areas

-  Residential
-  Hotel
-  Office
-  Shopping mall
-  Public building

XS125

XS125 represents a harmonious blend of speed, style, and reliability. Tailored for mid-rise buildings, this model is engineered to meet the demands of faster-paced environments while maintaining a refined and polished appearance. Its sophisticated design and advanced functionality make it a versatile choice, capable of elevating the experience of any space it serves, from luxurious residences to high-end office buildings.

120

Max. travel height · m

40

Max. stops

Load capacity	630 · 800 · 1,000 kg
Speed	2.0 / 2.5 m/s
Max. travel height	120 m
Max. stops	40
Machine room	MR / MRL
Cabin dimensions	variable within the published shaft envelope

Application areas

-  High rise
-  Office
-  Hotel
-  Residential

XS200

The XS200 stands as a powerful yet elegant solution for larger spaces requiring higher capacity. This model is designed to gracefully handle substantial loads while maintaining a sleek and sophisticated profile. With a focus on reliability and comfort, the XS200 is not just about moving people or goods—it's about enhancing the overall experience through superior engineering and thoughtful design, making it an ideal fit for hospitals, shopping centers, and expansive commercial environments.

80

Max. travel height · m

21

Max. stops

Load capacity	1,250 · 1,600 · 2,000 · 2,500 kg
Speed	1.0 / 1.6 m/s
Max. travel height	80 m
Max. stops	21
Machine room	MR / MRL
Cabin dimensions	variable within the published shaft envelope

Application areas

-  Residential
-  Office
-  Hotel
-  Shopping mall
-  Hospital
-  Production

XS225

The XS225 is the epitome of precision and speed, crafted for mid-rise buildings that demand rapid vertical transport without compromising on quality. This model is engineered for environments where efficiency is paramount, yet it maintains an air of elegance and sophistication. The XS225's ability to deliver high-speed performance while ensuring a smooth, comfortable ride makes it a standout choice for luxury hotels, premium residential complexes, and cutting-edge office spaces.

120

Max. travel height · m

40

Max. stops

Load capacity	1,250 · 1,600 · 2,000 · 2,500 kg
Speed	2.0 / 2.5 m/s
Max. travel height	120 m
Max. stops	40
Machine room	MR / MRL
Cabin dimensions	variable within the published shaft envelope

Application areas

-  Office
-  Hotel
-  Residential
-  Hospital

XS500

The XS500 is designed for environments where strength and durability are non-negotiable, yet it doesn't shy away from delivering a touch of elegance. Capable of handling the heaviest loads with grace, this model is a true workhorse, seamlessly blending industrial might with refined design. Whether in a factory, industrial facility, or a large shopping mall, the XS500 stands out as a symbol of robust engineering and sophisticated aesthetics, ensuring reliable performance in even the most demanding settings.

60

Max. travel height · m

20

Max. stops

Load capacity	3,000 · 3,500 · 4,000 · 5,000 kg
Speed	1.0 / 1.6 m/s
Max. travel height	60 m
Max. stops	20
Machine room	MR / MRL
Cabin dimensions	variable within the published shaft envelope

Application areas

-  Production
-  Shopping mall

Standards

	XS100	XS125	XS200	XS225	XS500
EN81-20 / 50	●	●	●	●	●
EN81-28	●	●	●	●	●
EN81-58	●	●	●	●	●
EN81-70	○	○	○	○	○
EN81-71	○	○	○	○	○
EN81-72	○	○	○	○	○
EN81-73	●	●	●	●	●
EN81-77	○	○	○	○	○
EN12015 - EN12016	○	○	○	○	○

● Standard ○ Option

Icon key

-  Residential
-  Hotel
-  Office
-  Shopping mall
-  Public building
-  High rise
-  Hospital

Important note

Catalogue data is indicative planning information and is not a commitment. Obtain confirmation from the engineering department before using these values in a specification or shaft design.